

AFCTN Test Report 93-070

AFCTB-ID 93-044







Using:






MIL-M-28001A (SGML) MIL-D-28003 (CGM)



Quick Short Test Report



07 May 1993



19960822 139



Prepared for

Electronic Systems Center

DTIC QUALITY INSPECTED 3

Technical Publication Transfer Using: Magnavox Electronic Company's Data

MIL-M-28001A (SGML) MIL-D-28003 (CGM)

Quick Short Test Report
7 May 1993

Prepared By

Air Force CALS Test Bed Wright-Patterson AFB, OH 45433

AFCTB Contact

Gary Lammers (513) 427-2295

AFCTN Contact

Mel Lammers (513) 427-2295

DTIC QUALITY INSPECTED 3

DISCLAIMER

This document was prepared as an account of work sponsored by the Air Force. Neither the United States Government, the Air Force, nor any of their employees makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, nor represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the Air Force. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the Air Force, and shall not be used for advertising or product endorsement purposes.

Available to the public from the National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161

This report and those involved in its preparation do not endorse any product, process, or company stated herein. Use of these means by anyone does not imply certification by the Air Force CALS Test Network (AFCIN).

Contents

1.	Intro	duction1
	1.1.	Background1
	1.2.	Purpose2
2.	Test	Parameters3
3.	1840A	Analysis5
	3.1.	External Packaging5
	3.2.	Transmission Envelope5
		3.2.1. Tape Formats5
		3.2.2. Declaration and Header Fields6
4.	IGES .	Analysis6
5.	SGML .	Analysis6
6.	Raste	r Analysis6
7.	CGM A	nalysis6
8.	Concl	usions and Recommendations8
9.	Appen	dix A - Tapetool Report Logs9
	9.1.	Tape Catalog9
	9.2.	Tape Evaluation Log
	9.3.	Tape File Set Validation Log15
10.	Appen	dix B - Detailed CGM Analysis17
	10.1.	File D001C02417
		10.1.1. Parser Log MetaCheck17
		10.1.2. validcgm Log19

	LO.1.3. Output Cadleaf20	0
	0.1.4. Output Designer2	1
	0.1.5. Output Harvard Graphics22	2
	0.1.6. Output HiJaak for Windows23	3
	.0.1.7. Output cgm2draw/IslandDraw24	4
	.0.1.8. Output IslandDraw25	5
	0.1.9. Output Ventura Publisher26	6
10.2.	File D001C03427	7
	.0.2.1. Parser Log MetaCheck27	7
	.0.2.2. validcgm Log29	Э
	.0.2.3. Output Cadleaf30	C
	.0.2.4. Output Designer31	1
	.0.2.5. Output Harvard Graphics32	2
	0.2.6. Output HiJaak for Windows33	3
	0.2.7. Output cgm2draw/IslandDraw34	1
	0.2.8. Output IslandDraw35	5
	0.2.9. Output Ventura Publisher36	5

1. Introduction

1.1 Background

The Department of Defense (DoD) Air Force Continuous Acquisition and Life-Cycle Support (CALS) Test Network (AFCTN) is conducting tests of the military standard for the Automated Interchange of Technical Information, MIL-STD-1840A, and its companion suite of military specifications. The AFCTN is a DoD sponsored confederation of voluntary participants from industry and government managed by the Electronic Systems Center (ESC).

The primary objective of the AFCTN is to evaluate the effectiveness of the CALS standards for technical data interchange and to demonstrate the technical capabilities and operational suitability of those standards. Two general categories of tests are performed to evaluate the standards, formal and informal.

Formal tests are large and comprehensive, which follow a written test plan, require specific authorization from the DoD, and may take months to prepare, execute, and report.

Informal tests are quick and short, used by the AFCTN technical staff, to broaden the testing base. They include representative samples of the many systems and applications used by AFCTN participants. They also allow the AFCTN staff to gain feedback from many industry and government interpretations of the standards, increase the base of participation in the CALS initiative, and respond to the many requests for help that come from participants. Participants take part voluntarily, benefit by receiving an evaluation of their latest implementation (interpretation) of the standards, interact with the AFCTN technical staff, gain experience using the standards, and develope increased confidence in them. The results of informal tests are reported in Quick Short Test Reports (QSTRs) that briefly summarize the standard(s) tested, the hardware and software used, the nature of the test, and the results.

1.2 Purpose

The purpose of the informal test, reported in this QSTR, was to analyze Magnavox Electronic Company's interpretation and use of the CALS standards, in transferring technical publications data. Magnavox used its CALS Technical Data Interchange System to produce data, in accordance with the standards, and delivered it to the AFCTN technical staff on a 9-track magnetic tape.

Magnavox indicated that the text file is an ASCII file with no tags. They indicated that the customer does not have a SGML capability and requested the text in this format. The text file was not evaluated.

2. Test Parameters

Test Plan:

AFCTB 93-044

Date of

Evaluation:

7 May 1993

Evaluator:

George Elwood

Air Force CALS Test Bed

DET 2 HQ ESC/ENCP 4027 Colonel Glenn Hwy

Suite 300

Dayton OH 45431-1672

Data

Originator:

Judy Gilbert

Magnavox Electronic Company

1313 Production Road Fort Wayne IN 46808

(219) 429-6000

Data

Description:

Technical Manual Test

1 Document Declaration file

1 Text file

42 Computer Graphics Metafile (CGM) files

Data

Source System:

1840

HARDWARE

Digital Equipment Corporation VAX 6220/VMS v5.5-2

SOFTWARE

AFCTN Tapetool v1.2, R 8

Text/Standard Generalized Markup Language (SGML)

HARDWARE

Digital Equipment Corporation VAX 6220/VMS v5.5-2

SOFTWARE

Microsystems Corporation Mass-11 WP, v8.3

CGM

HARDWARE

IBM AIX RISC/System 6000
Digital Equipment Corporation
VAX 6220/VMS v5.5-2

SOFTWARE

CADAM Inc. Pro Cadam, v3, R 3.0
Microsystems Engineering Corporation
MASS-11 Graphics Processor, v6.02

Evaluation Tools Used:

MIL-STD-1840A (TAPE)

SUN 3/280

AFCTN Tapetool v1.2.9 UNIX
Texas Instruments (TI) Tapetool v1.0.1

MIL-D-28003 (CGM)

SUN SparcStation 2

ArborText cgm2draw
Island Graphics IslandDraw v3.0
Carberry CADLeaf v3.1

PC 486/50

Advance Technology Center
(ATC) MetaView R 1.12
ATC MetaCheck R 2.05

Software Publishing Corporation (SPC) Harvard Graphics v3.05

Inset Systems HiJaak vl.0 Windows

Micrografx Designer v3.1 Corel Ventura Publisher

Standards
Tested:

MIL-STD-1840A MIL-D-28003

3. 1840A Analysis

3.1 External Packaging

The tape was hand delivered to the Air Force CALS Test Bed (AFCTB) without a box.

The tape was not enclosed in a barrier bag or barrier sheet material, as required by MIL-STD-1840A, para. 5.3.1.2. Inspection of the tape reel showed a lack of the labeling indicating the recording density, as required by MIL-STD-1840A, para. 5.3.1. Some 9-track tape units require the BPI to be set manually. Not attached to the tape was a packing list showing all files that were recorded on the tape. The purpose of this test was to evaluate the CGM files and not the packaging or labeling.

3.2 Transmission Envelope

The 9-track tape received by the AFCTB contained MIL-STD-1840A files. The files were named per the standard conventions.

3.2.1 Tape Formats

The tape was run through the AFCTN Tapetool v1.2.9 utility. One error was reported while evaluating the contents of the tape labels. This error relates to the use of carriage control characters in the ASCII file. This would be normal for files created on a PC and transferred to a tape.

*** WARNING - This variable length record type file contained carriage control characters. Carriage control characters are used as record terminators and are interpreted differently among dissimilar systems.

The tape was also read using TI's Tapetool v1.0.1 with the same reported error as above.

3.2.2 Declaration and Header Fields

No errors were reported in the Document Declaration file or data file headers.

4. IGES Analysis

No Initial Graphics Exchange Specification (IGES) files were included on the tape.

5. SGML Analysis

The SGML file was not evaluated per the customers insturctions.

6. Raster Analysis

No Raster files were included on the tape.

7. CGM Analysis

The tape contained 42 CGM files. All of the files were evaluated using ATC's MetaCheck with CALS options. This utility reported that all of the files did not meet the CALS MIL-D-28003 specification because of the required CALS statement in the CGM file. File D001C024 was reported as not meeting basic CGM standards with illegal entities being reported. The log file is included in the Appendix to this report.

The files were evaluated using the beta AFCTN validcgm utility. This program reported the missing CALS header information.

The AFCTB has several tools for viewing CGM files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. Many

of these products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor and indication of CALS capability. All operations were performed using the default settings.

All files were viewed on screen, but only files D001C024 and D001C034 were selected for the hard copy output.

An attempt to view the files using ATC's *MetaView* resulted in nothing being displayed on the screen because of the black background and black graphics.

File D001C024 was reported in error when imported into Carberry's *Cadleaf* software. The error was the use of an illegal entity. The file still displayed on screen but a set of lines were displayed which were not correct.

The Micrografx Designer and Charisma both imported a selection of files without a reported error. File D001C024 displayed the added lines defined above.

SPC's Harvard Graphics 3.05 imported a selection of files without a reported error. File D001C024 displayed the added lines.

Inset Systems' HiJaak for Windows imported all 42 files without a reported error. The same error in file D001C024 was again noted.

A selection of files were converted using ArborText's cgm2draw utility without a reported error. The resulting files were read into Island Graphics' IslandDraw, displayed and printed. File D001C024 displayed the same error as noted above.

A selection of files were directly imported into Island Graphics' *IslandDraw* without a reported error. The images displayed correctly except for D001C024, which displayed with the error noted above.

The two selected files were imported into Corel's Ventura Publisher without a reported error. File D001C024 displayed with the same error noted above.

The CGM files do not meet the CALS MIL-D-28003 specification because of the missing CALS header.

8. Conclusions and Recommendations

In summary, the tape from Magnavox Electronic Company was correct. Only one error was generated and is not consider critical. The basic tape structure meets the CALS MIL-STD-1840A requirements.

The Text file on the tape was not evaluated per Magnavox Electronic Company's request.

All 42 CGM files on the tape did not meet the CALS MIL-D-28003 specification because of the missing header data. Further, file D001C024 had a critical basic CGM error.

The tape from Magnavox Electronic Company does not meet the CALS MIL-STD-1840A requirements.

9. Appendix A - Tapetool Report Logs

9.1 Tape Catalog

Air Force CALS Test Network Catalog Evaluation - Version 1.2; Release 9 (U)

Standards referenced:

MIL-STD-1840A (1987) - Automated Interchange of Technical Information ANSI X3.27 (1987) - File Structure and Labeling of Magnetic Tapes for Information Interchange

ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Thu May 6 14:56:03 1993

MIL-STD-1840A File Catalog

File Set Directory: /cals/tapetool9/Set001

Page: 1

File Name	File Type	Record Format/ Length	Block Length/Total	Selected/ Extracted
D001	Document Declaration	•	02048/000001	Extracted
D001C001	CGM	•	00800/000039	Extracted
D001C002	CGM	F/00080	00800/000035	Extracted
D001C003	CGM	F/00080	00800/000050	Extracted
<<<<	< PART OF LOG FILE REMOV	ED HERE	>>>>	
D001C041	CGM	F/00080	00800/000064	Extracted
D001C042	CGM	F/00080	00800/000049	Extracted
D001T043	Text	D/00260	02048/000128	Extracted

Catalog Process terminated normally.

9.2 Tape Evaluation Log

Air Force CALS Test Network Tape Evaluation - Version 1.2; Release 9 (0) Standards referenced:

ANSI X3.27 (1987) - File Structure and Labeling of Magnetic Tapes for Information Interchange

ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Thu May 6 14:54:52 1993

ANSI Tape Import Log

Allocating tape drive /dev/rmt0...

/dev/rmt0 allocated.

VOL1CALS01

Label Identifier: VOL1
Volume Identifier: CALS01
Volume Accessibility:
Owner Identifier:

Label Standard Version: 4

HDR1D001

CALS0100010001000000 93126 00000 000000

Label Identifier: HDR1 File Identifier: D001

File Set Identifier: CALS01
File Section Number: 0001
File Sequence Number: 0000
Generation Number: 0000
Generation Version Number: 00

Creation Date: 93126 Expiration Date: 00000

File Accessibility: Block Count: 000000

Implementation Identifier:

HDR2D0204800260

00

Label Identifier: HDR2
Recording Format: D
Block Length: 02048
Record Length: 00260
Offset Length: 00

****** Tape Mark **********

Actual Block Size Found = 2048 Bytes.

Number of data blocks read = 1.

******* Tape Mark *********

EOF1D001

CALS0100010001000000 93126 00000 000001

Label Identifier: EOF1 File Identifier: D001

File Set Identifier: CALS01 File Section Number: 0001 File Sequence Number: 0001 Generation Number: 0000 Generation Version Number: 00

Creation Date: 93126 Expiration Date: 00000 File Accessibility: Block Count: 000001

Implementation Identifier:

EOF2D0204800260

00

Label Identifier: EOF2 Recording Format: D Block Length: 02048 Record Length: 00260 Offset Length: 00

******** Tape Mark **********

HDR1D001C001 CALS0100010002000000 93126 00000 000000

Label Identifier: HDR1 File Identifier: D001C001 File Set Identifier: CALS01 File Section Number: 0001 File Sequence Number: 0002 Generation Number: 0000 Generation Version Number: 00

Creation Date: 93126 Expiration Date: 00000 File Accessibility: Block Count: 000000

Implementation Identifier:

HDR2F0080000080

00

Label Identifier: HDR2
Recording Format: F
Block Length: 00800
Record Length: 00080
Offset Length: 00

****** Tape Mark *********

Actual Block Size Found = 800 Bytes.

Number of data blocks read = 39.

******* Tape Mark *********

EOF1D001C001

CALS0100010002000000 93126 00000 000039

Label Identifier: EOF1
File Identifier: D001C001
File Set Identifier: CALS01
File Section Number: 0001
File Sequence Number: 0002
Generation Number: 0000
Generation Version Number: 00

Creation Date: 93126 Expiration Date: 00000 File Accessibility: Block Count: 000039

Implementation Identifier:

EOF2F0080000080

00

Label Identifier: EOF2
Recording Format: F
Block Length: 00800
Record Length: 00080
Offset Length: 00

******** Tape Mark **********

<><< PART OF LOG FILE REMOVED HERE >>>>>

******* Tape Mark *********

Label Identifier: HDR1 File Identifier: D001T043 File Set Identifier: CALS01 File Section Number: 0001 File Sequence Number: 0044 Generation Number: 0000

Generation Version Number: 00

Creation Date: 93126 Expiration Date: 00000 File Accessibility: Block Count: 000000

Implementation Identifier:

HDR2D0204800260

00

Label Identifier: HDR2 Recording Format: D Block Length: 02048 Record Length: 00260 Offset Length: 00

******* Tape Mark *********

Actual Block Size Found = 2048 Bytes.

*** WARNING - This variable length record type file contained carriage control characters. Carriage control characters are used as record terminators and are interpreted differently among dissimilar systems.

Number of data blocks read = 128.

******* Tape Mark *********

EOFIDO01T043

CALS0100010044000000 93126 00000 000128

Label Identifier: EOF1 File Identifier: D001T043 File Set Identifier: CALS01 File Section Number: 0001 File Sequence Number: 0044 Generation Number: 0000

Generation Version Number: 00

Creation Date: 93126 Expiration Date: 00000 File Accessibility: Block Count: 000128

Implementation Identifier:

EOF2D0204800260

00

Label Identifier: EOF2
Recording Format: D
Block Length: 02048
Record Length: 00260
Offset Length: 00

******* Tape Mark *********

******* Tape Mark *********

########## End of Volume CALS01 ##############

########## End Of Tape File Set ##############

Deallocating /dev/rmt0...

Tape Import Process terminated with 0 error(s), 1 warning(s), and 0 note(s).

figid: 1-1.1 srcgph: cgml

doccls: UNCLASSIFIED

9.3 Tape File Set Validation Log

Air Force CALS Test Network File Set Evaluation - Version 1.2; Release 9 (O) Standards referenced: MIL-STD-1840A (1987) - Automated Interchange of Technical Information Thu May 6 14:56:03 1993 MIL-STD-1840A File Set Evaluation Log File Set: Set001 Found file: D001 Extracting Document Declaration Header Records... Evaluating Document Declaration Header Records... srcsys: Magnavox Electonic Systems Co 1313 Production Rd. Ft. Wayne IN 46808 VAX/VM Version V5.5-2 running AFCTN Tapetool Software Version 1.2; Release 8 srcdocid: MX-62-122B srcrelid: NONE chglvl: ORIGINAL dteisu: 19911201 dstsys: ATOS, Warner Robins ALC/LZDA Robins AFB GA 31098 Attn: Mike Green dstdocid: TO 49B3-58-1 dstrelid: NONE dtetrn: 19930506 dlvacc: CONTRACT F19628-84-C-0084 CLIN 0084 CDRL 58-016 filcnt: C42,T1 ttlcls: UNCLASSIFIED doccls: UNCLASSIFIED doctyp: Technical Publication docttl: OPERATION AND MAINTENANCE INSTRUCTIONS WITH ILLLUSTRATED PARTS BREAKDOWNFOR AN/TRC-187A Found file: D001C001 Extracting CGM Header Records... Evaluating CGM Header Records... srcdocid: MX-62-122B dstdocid: TO 49B3-58-1 txtfilid: W

notes: 1st of 4 graphic files to make up figure 1-1.

Saving CGM Header File: D001C001_HDR Saving CGM Data File: D001C001_CGM

<><< PART OF LOG FILE REMOVED HERE >>>>

Found file: D001C042

Extracting CGM Header Records...
Evaluating CGM Header Records...

srcdocid: MX-62-122B
dstdocid: TO 49B3-58-1

txtfilid: W
figid: FO-1.S2
srcgph: CGM42

doccls: UNCLASSIFIED

notes: FOLDOUT PAGE, SHEET 2 OF 2

Saving CGM Header File: D001C042_HDR Saving CGM Data File: D001C042_CGM

Found file: D001T043

Extracting Text Header Records...
Evaluating Text Header Records...

srcdocid: MX-62-122B
dstdocid: TO 49B3-58-1

txtfilid: W

doccls: UNCLASSIFIED

notes: ASCII Text file with ATOS page delimiters for TO49B3-58-1.

Saving Text Header File: D001T043_HDR Saving Text Data File: D001T043_TXT

Evaluating numbering scheme...

No errors were encountered during numbering scheme evaluation. Numbering scheme evaluation complete.

Checking file count...

No errors were encountered during file count verification. File Count verification complete.

No errors were encountered in Document D001. No errors were encountered in this File Set.

MIL-STD-1840A File Set Evaluation Complete.

10. Appendix B - Detailed CGM Analysis

10.1 File D001C024

10.1.1 Parser Log MetaCheck

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer Copyright 1988-91 CGM Technology Software Execution Date: 05/07/93 Time: 08:47:11

Metafile Examined : i:\9344\c024.cgm

Pictures Examined : All Elements Examined : All Bytes Examined : All

Tracing not selected.

======== CGM Conformance Violation Report ============

Bulletin 20027: Element Class/ID: 4/1 Offset: 182 octets Element No. 28 Warning; a foreground color has been defined and referenced by a primitive, while the background color has not been defined.

Error 1002: Element Class/ID: 3/114 Offset: 81920 octets Element No. 18814 Unrecognized element encountered; these opcodes are reserved for use in future versions of the standard.

======= CALS CGM Profile (MTL-D-28003) Report =========

Error 6501: Element Class/ID: 1/2 Offset: 20 octets Element No. 3 The METAFILE DESCRIPTION string is invalid; it lacks the phrase "MIL-D-28003/BASIC-1" required by the Profile.

========== Conformance Summary Report =============

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer Copyright 1988-91 CGM Technology Software Execution Date: 05/07/93 Time: 08:47:28

Name of CGM under test: i:\9344\c024.cgm

Encoding : Binary

Pictures Examined : All Elements Examined : All Bytes Examined : All

BEGIN METAFILE string : "Metafile.Dat"
METAFILE DESCRIPTION : "MEC Metafile V.1"

Picture 1 starts at octet offset 82; string contains: "PICTURE1"

Conformance Summary : This file is not a conforming CGM:

Consequently, it does not meet the CALS CGM Profile (MIL-D-28003).

Summary of Testing Performed and Errors Found:

1 Pictures Tested 18976 Elements Tested 84548 Octets Tested

1	Illegal CGM Elements	1000	-	1999
0	Incorrect CGM Element Lengths	2000	-	2999
0	CGM State Errors	3000	-	3499
0	Required CGM Elements Missing or Wrong	4000	-	4499
0	CGM Parameter Values Out of Range	6000	-	6499
0	CGM Structure Errors	7000	-	7499
1	*** CGM Errors Found (total)	***		
0	Profile State Errors	3500	-	3999
0	Illegal Profile Elements	4500	-	4999
1	Profile Parameter Values Out of Range	6500	-	6999
0	Profile Data Limits Exceeded	8500	-	8999
0	Other Profile Constraints Violated	9500	-	9999
1	*** Profile Violations Found (total)	***		
	•			
1	Warnings (Advisory Remarks)	20000	_	20999


3 distinct errors and warnings were reported.

======== End of Conformance Report ==============


10.1.2 validcgm Log

Analysis for file c024.cgm using table table MILSPEC 28003 error: descriptor doesn't contain MIL-D-28003/BASIC-1 Metafile Description "MEC Metafile V.1" (1, 2, 18)(0, 1) occurred 1 time (0, 2) occurred 1 time (0, 3) occurred 1 time (0, 4) occurred 1 time (0, 5) occurred 1 time (1, 1) occurred 1 time (1, 2) occurred 1 time (1, 3) occurred 1 time (1, 4) occurred 1 time (1, 5) occurred 1 time (1, 7) occurred 1 time (1, 10) occurred 1 time (1, 11) occurred 1 time (2, 1) occurred 1 time (2, 2) occurred 1 time (2, 3) occurred 1 time (2, 5) occurred 1 time (2, 6) occurred 1 time (2, 7) never occurred, required by standard B (4, 1) occurred 4685 times (4, 7) occurred 314 times (5, 2) occurred 1 time (5, 3) occurred 2 times (5, 4) occurred 1 time (5, 14) occurred 1 time (5, 15) occurred 1 time (5, 22) occurred 2 times (5, 27) occurred 1 time (5, 28) occurred 2 times (5, 29) occurred 1 time (5, 30) occurred 1 time


10.1.3 Output Cadleaf




10.1.4 Output Designer




10.1.5 Output Harvard Graphics





10.1.6 Output HiJaak for Windows



10.1.7 Output cgm2draw/IslandDraw







10.2 File D001C034

Elements Examined

Bytes Examined

: All

: All

BEGIN METAFILE string : "Metafile.Dat"
METAFILE DESCRIPTION : "MEC Metafile V.1"

10.2.1 Parser Log MetaCheck

MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer Copyright 1988-91 CGM Technology Software Execution Date: 05/06/93 Time: 15:08:58 Metafile Examined : i:\9344\c034.cgm Pictures Examined : All Elements Examined : All Bytes Examined : All Tracing not selected. ======= CGM Conformance Violation Report ========= Bulletin 20027: Element Class/ID: 4/1 Offset: 182 octets Element No. 28 Warning; a foreground color has been defined and referenced by a primitive, while the background color has not been defined. ======= CALS CGM Profile (MIL-D-28003) Report ========= Error 6501: Element Class/ID: 1/2 Offset: 20 octets Element No. 3 The METAFILE DESCRIPTION string is invalid; it lacks the phrase "MTL-D-28003/BASIC-1" required by the Profile. MetaCheck Version 2.05 -- CGM/MIL-D-28003 Conformance Analyzer Copyright 1988-91 CGM Technology Software Execution Date: 05/06/93 Time: 15:09:14 Name of CGM under test: i:\9344\c034.cgm Encoding : Binary Pictures Examined : All

Picture 1 starts at octet offset 82; string contains: "PICTURE1"

Conformance Summary : This file conforms to the CGM specification.

However, this file does not satisfy the CALS CGM Profile (MIL-D-28003).

Summary of Testing Performed and Errors Found:

1 Pictures Tested 6004 Elements Tested 89556 Octets Tested

0	Illegal CGM Elements	1000	-	1999
0	Incorrect CGM Element Lengths	2000	-	2999
0	CGM State Errors	3000	-	3499
0	Required CGM Elements Missing or Wrong	4000	-	4499
0	CGM Parameter Values Out of Range	6000	-	6499
0	CGM Structure Errors	7000	-	7499
0	*** CGM Errors Found (total)	***		
0	Profile State Errors	3500	-	3999
0	Illegal Profile Elements	4500	-	4999
1	Profile Parameter Values Out of Range	6500	-	6999
0	Profile Data Limits Exceeded	8500	-	8999
0	Other Profile Constraints Violated	9500	-	9999
1	*** Profile Violations Found (total)	***		
1	Warnings (Advisory Remarks)	20000	-	20999


2 distinct errors and warnings were reported.

10.2.2 validcgm Log


(5, 30) occurred 1 time

```
Analysis for file c034.cgm using table table
MILSPEC 28003 error: descriptor doesn't contain MIL-D-28003/BASIC-1
                 (1, 2, 18)
                              Metafile Description "MEC Metafile V.1"
(0, 1) occurred 1 time
(0, 2) occurred 1 time
(0, 3) occurred 1 time
(0, 4) occurred 1 time
(0, 5) occurred 1 time
(1, 1) occurred 1 time
(1, 2) occurred 1 time
(1, 3) occurred 1 time
(1, 4) occurred 1 time
(1, 5) occurred 1 time
(1, 7) occurred 1 time
(1, 10) occurred 1 time
(1, 11) occurred 1 time
(2, 1) occurred 1 time
(2, 2) occurred 1 time
(2, 3) occurred 1 time
(2, 5) occurred 1 time
(2, 6) occurred 1 time
(2, 7) never occurred, required by standard B
(4, 1) occurred 5646 times
(4, 7) occurred 327 times
(5, 2) occurred 1 time
(5, 3) occurred 2 times
(5, 4) occurred 1 time
(5, 14) occurred 1 time
(5, 15) occurred 1 time
(5, 22) occurred 2 times
(5, 27) occurred 1 time
(5, 28) occurred 2 times
(5, 29) occurred 1 time
```


10.2.3 Output Cadleaf




10.2.4 Output Designer




10.2.5 Output Harvard Graphics




10.2.6 Output HiJaak for Windows



10.2.7 Output cgm2draw/IslandDraw



10.2.8 Output IslandDraw



10.2.9 Output Ventura Publisher

